



TIAN GE[®]

AKUPANEL



Table Of Contents

ABOUT TIANGE	4-5
MODERN DESIGN	6-7
AKUPANEL	8-9
MOUNTING INSTRUCTIONS	10-11
SUSTAINABILITY	12-13
HOME DECORATION	14-23
COMMERCIAL PREMISES DECORATION	24-29
CUSTOMIZED SHAPES	30-31
DECORATION OF SLATTED WOODEN PANEL	32-33
COLOR CARD	34-35

* WHITE OAK

WE ARE TIANGE ACOUSITCS

We produce modern slatted walls ceilings with our acoustic panels that are made of recycled wood from sustainable forest. Our factory is located in Foshan, Guangdong, China from where we sell our products to both the domestic market and the whole worldwide.

We have created incomparable product

We help our customers to create an amazing acoustic environment as well as adding a modern and luxurious expression to the interior space. This product can be used in private homes as well as office, conference room, store, hotels or other big public space.

* Natural Black Oak

MODERN DESIGN

that absorbs echos and removes noise

With our slatted panels you can make a slat wall or a slat ceiling that fits perfectly in line with the modern style.

With TianGe slatted acoustic panels, you can get not only a good looking and modern space, but also have a comfortable and quite and healthy environment, since this panel has 0.7 of echo absorption function.

www.acousticcn.com

AKUPANEL


Are you having trouble of hearing what your friends are saying?

Reverberation is a big problem in many rooms but with the sound absorption function' s slatted panel, you can create an acoustic well-being for you, your family and your friends.


✱ Iron Sword Oak



There are two ways to mount the panels - either directly on the surface or on a wood battens frame (see the right side drawings)with acoustic cotton behind. If you choose to mount the panels on a wood battens frame and insert acoustic cotton behind, you will achieve better sound absorption effect .




On the graph below you can see that the panel achieves an absorption coefficient at 1.0 at a frequency at 500Hz. Loud speaking and "ordinary" noise in the home are at a frequency between 500 - 1,000Hz and as seen on the graph it is at this point the TianGe slatted panel is the most effective.



MATERIAL ANALYSIS

Material structure display



Wood surface

Polyester fiber panel

Wood slat



Fireproof finish





Wood finish



Melamine finish

SPECIFICATIONS


Standard size



Specifications 01:



Specifications 02:



* We have more other customized size *
* Welcome to consult and customize *

FUNCTION DISPLAY

The advantage of SLATTED ACOUSTIC PANEL: Sound absorption, Fire resistance, Decorative.

The products use environmentally friendly materials and are certified by authoritative organizations.

A Fire resistance

D Moisture resistant

B Sound absorption

C Decorative aesthetics



Free Sample

Slatted wood acoustic panel
Best selling products in Europe
and America

Contact Us

* The packaging box is small in shape and made of recycled paper, which is in line with the concept of environmental protection.

The slatted acoustic panel series products bring you luxurious quality and advanced noise reduction effect in the most cost-effective way.


APPLICATION PLACE

Material structure display

Hotel lobby, corridor, room decoration,
conference halls, schools, recording rooms, studios, residences,
shopping malls, office space etc.

CUSTOMMER PRAISE

Customer praise & our cooperation



MOUNTING INSTRUCTIONS

It's super easy to install the slatted panels.

Choose whether to mount the panels directly on the wall or on battens with acoustic cotton behind it. It depends on how much you need on the sound absorption in the room.

If you prefer to mount the acoustic panels directly on the wall, then you can just drive a screw directly through the felt into the wall. When you mount the acoustic panels directly on the wall then you achieve sound absorption at 0.4, which will slightly reduce the echo in the room.

Another option is to mount the acoustic panels on a 50 mm wood battens frame with acoustic cotton behind the panels. When you do so, you achieve sound absorption around 0.85 which will offer you a best and quite space.

You can easily cut the panels by using a a normal saw. You also can cut holes in the panel for electrical outlets and lighting in the slat ceiling.

Watch the mounting video on our website.

* Natural Black walnut

SUSTAINABILITY

We care our acoustic slatted panels.

We need to protect our environment at the same time of enjoy our life. Our acoustic PET felt on the slatted panel is recycled and can be re-used again. The wood is the same too. Our factory have FSC certificate. You can use our environmentally friendly products with peace of mind.



HOME DECORATION

A slatted wall will add modern and elegant expression to your design, as well as absorb the echo in the space.



* Smoked Oak






* Natural Black Walnut

* Gray Oak



ecousticon.com





COMMERCIAL PREMISES DECORATION

A slatted wall will add modern and elegant expression to your design, but also offer a quiet and silent space to the surrounding.

* Natural White Oak






* Natural Walnut

* Iron Smord Wood



CUSTOMIZED SHAPES

We accept customized of various shapes, reflecting personalization and also having sound absorption effects.



Decoration of slatted wood panel

We provide some decorations for the slatted wood panel, which can make your slatted wall more beautiful without affecting the sound absorption effect.



* Yellow Oak



TGSX-8001
| White Oak |



TGSX-8002
| Yellow Oak |



TGSX-8003
| Walnut Wood |



TGSX-8013
| White Oak 223 |



TGSX-8014
| Natural Walnut |




TGSX-8015
| Wild Oak |




TGSX-8004
| Brizal Rosewood |




TGSX-8005
| Silver Oak |



TGSX-8006
| Iron Sword Wood |



TGSX-8016
| Ebony |




TGSX-8017
| Washed Black Oak |



TGSX-8018
| Natural Black Walnut |



TGSX-8007
| Smoked Oak |



TGSX-8008
| Etched Wood Grain |



TGSX-8009
| Yellow Oak 200 |



TGSX-8019
| Natural White Oak |




TGSX-8020
| Thai Teak |



TGSX-8021
| Gray Oak |



TGSX-8010
| Natural Black Oak |



TGSX-8011
| Industrial Gray |



TGSX-8012
| Mountain Grain Walnut |



TGSX-8022
| Smoked Oak 280 |



TGSX-8023
| Dark Oak |



TGSX-8024
| Willow Wood |

CONTACT US

TIANGE INDUSTRY GROUP CO.,LTD
GUANGDONG TIANGE ACOUSTIC GROUP CO., LTD.
FOSHAN TIANGE ACOUSTIC&DECORATION MATERIAL CO.,LTD.

TianGe Acoustic Web: www.acousticcn.com/

GoodSound Acoustic Web: www.goodsoundacoustic.com/

Facebook: www.facebook.com/tiangeacoustics/

YouTube: www.youtube.com/channel/UC1H0GYyxcSMAbiikle2d01g

Twitter: https://twitter.com/TianGe_Acoustic

Instagram: <https://www.instagram.com/tiangeacoustics/>



TIANGE WEBSITE



GOOD SOUND WEBSITE



TIAN GE[®]